

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((stor\$5 or buffer\$5 or memory) near6 (traffic near3 (flow near2 model))) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/06/30 08:32
L2	11	((stor\$5 or buffer\$5 or memory) near6 ((traffic or data or packet) near3 (flow near2 model))) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/06/30 08:35
L3	59	((stor\$5 or buffer\$5 or memory) near6 ((traffic or data or packet) near3 (flow near2 (model or replica or form)))) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/06/30 08:43
L4	64	((stor\$5 or buffer\$5 or memory) near6 ((traffic or data or packet) near3 (flow near2 (model or replica or form or copy)))) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/06/30 08:44
L5	8	((stor\$5 or buffer\$5 or memory) near6 ((traffic or data or packet) near3 (flow near2 (model or replica or form or copy)))) and "370"/\$.cls. and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/06/30 08:44
S1	571	(calculat\$3 near2 traffic near2 flow) same (calculat \$3 near2 (flow or load)) same (data near2 measur \$5) and 370/229.cls. or 370/253.cls. or 370/395.41.cls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/27 17:40
S2	427	S1 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/27 17:40

S3	28	S2 and (plurality near2 (node or router))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/27 17:36
S4	0	(plurality near2 (node or router)) same ((measur\$4 near2 (data or traffic) near2 flow near2 load))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 09:08
S5	3	(calculat\$3 near2 traffic near2 flow) same (calculat\$3 near2 (flow or load)) same (data near2 measur\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/27 17:39
S6	0	S5 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/27 17:40
S7	573	(calculat\$3 near2 traffic near2 flow) same (calculat\$3 near2 (flow or load)) and 370/229.ccls. or 370/253.ccls. or 370/395.41.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/27 17:41
S8	1	S1 and (load near2 balanc\$3) with ((fail\$3 or disconnect\$3) near3 (route or path))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/27 17:43
S9	0	(plurality near2 (node or router)) and ((measur\$4 near2 (data or traffic) near2 flow near2 load))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 14:48
S10	571	(calculat\$3 near2 traffic near2 flow) same (calculat\$3 near2 (flow or load)) same (data near2 measur\$5) and 370/229.ccls. or 370/253.ccls. or 370/395.41.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 09:10

S11	427	S10 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 09:10
S12	1	S11 and ((calculat\$3 near3 (upper or lower)) near3 (bound near3 (traffic or load)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 09:34
S13	1	S11 and ((calculat\$3 near9 (upper or maximum or lower or minimum)) near6 (bound near3 (traffic or load)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 09:35
S14	1	S11 and ((calculat\$3 with (upper or maximum or lower or minimum)) with (bound near9 (traffic or load)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 09:36
S15	1	S11 and ((calculat\$3 with (upper or maximum or lower or minimum)) with (bound same (traffic or load)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 09:36
S16	2	S11 and ((calculat\$3 with (upper or maximum or lower or minimum)) same (bound same (traffic or load)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 09:45
S17	2	S11 and ((calculat\$3 same (upper or maximum or lower or minimum)) same (bound same (traffic or load)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 09:46
S18	2	S11 and ((calculat\$3 same ((upper or maximum) or (lower or minimum))) same (bound same (traffic or load)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 09:50
S19	6	S11 and ((calculat\$3 same ((upper or maximum) or (lower or minimum))) and (bound same (traffic or load)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 10:47

S20	19	S11 and (modif\$4 near2 network near2 topology) or (modif\$4 near2 rout\$3 near2 algorithm near2 parameter) or (modif\$4 near2 traffic near2 constrain) or (modif\$4 near2 traffic near2 load)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 12:06
S21	45	S11 and ((network near2 topology) or ((initial or original) near2 network near2 behaviour))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 12:20
S22	6	S20 and ((network near2 topology) or ((initial or original) near2 network near2 behaviour))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 12:51
S23	0	S11 and ((depend\$3 near2 factor) same ((network near2 topology) or ((initial or original) near2 network near2 behaviour)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 12:31
S24	0	S11 and ((depend\$3 near2 factor) and ((network near2 topology) or ((initial or original) near2 network near2 behaviour)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 12:26
S25	0	S11 and ((initial or original) near2 network near2 behaviour)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 12:27
S26	0	S11 and ((initial or original) with (network near2 behaviour))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 12:28
S27	2	S11 and ((initial or original) and (network near2 behaviour))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 12:28

S28	0	S11 and ((modif\$5 near2 factor) same ((network near2 topology) or ((initial or original) near2 network near2 behaviour)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 12:32
S29	0	S11 and ((modif\$5 near8 factor) same ((network near2 topology) or ((initial or original) near2 network near2 behaviour)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 12:33
S30	0	S11 and ((modif\$5 near8 factor) same ((network near2 topology) or ((initial or original) near8 network near8 behaviour)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 12:33
S31	0	S11 and ((modif\$5 near8 factor) and ((network near2 topology) or ((initial or original) near8 network near8 behaviour)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 12:33
S32	0	S11 and ((modif\$5 near8 topology) and ((network near2 topology) or ((initial or original) near8 network near8 behaviour)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 12:34
S33	0	S11 and ((modif\$5 near8 topology) and ((network near8 topology) or ((initial or original) near8 network near8 behaviour)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 12:35
S34	0	S11 and ((modif\$5 near8 topology) same ((initial or original) near8 network near8 behaviour))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 12:35
S35	0	S11 and ((modif\$5 near8 topology) and ((initial or original) near8 network near8 behaviour))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 12:36
S36	61	S11 and ((modif\$5 near8 topology) and ((initial or original) near8 network near8 behaviour) or topology)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 12:38

S37	0	S11 and ((network near2 topology near2 (modif\$6 or change)) near3 (depend \$3 near2 existing near2 network near2 topology))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 12:41
S38	0	S11 and ((network near2 topology near6 (modif\$6 or change)) same(depend \$3 near2 existing near2 network near2 topology))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 12:42
S39	0	S11 and ((network near2 topology near6 (modif\$6 or change)) same (depend \$3 near2 existing near6 network near6 topology))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 12:42
S40	0	S11 and ((network near2 topology near6 (modif\$6 or change)) and (depend \$3 near6 existing near6 network near6 topology))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 12:42
S41	0	S11 and ((network near6 topology near6 (modif\$6 or change)) and (depend \$3 near6 existing near6 network near6 topology))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 12:43
S42	0	S11 and ((network near12 topology with (modif\$6 or change)) and (depend\$3 near12 existing near12 (network near6 topology)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 12:44
S43	0	S11 and ((network near12 topology with (modif\$6 or change)) and (network near2 behaviour))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 12:45
S44	2	S20 and (routing near2 (procedure or configguratur \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 13:12
S45	2	S20 and (routing near9 (procedure or configguratur \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 13:14

S46	2	S20 and (routing with (procedure or configgurat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 13:18
S47	2	S20 and (routing same (procedure or configgurat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 13:19
S48	1	S20 and ((network near2 topology) with (routing near3 (procedure or configgurat\$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 12:54
S49	2	S20 and ((network near2 topology) and (routing near3 (procedure or configgurat\$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 12:54
S50	2	S20 and ((network near2 topology) and (routing same (procedure or configgurat\$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 12:55
S51	4	S20 and ((network near2 topology) and (routing same (procedure or configgurat\$3 or method)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 13:09
S52	2	S20 and (perform\$3 near6 (routing same (procedure or configgurat\$3 or method)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 13:11
S53	1	S11 and (perform\$3 near6 (routing same (procedure or configgurat\$3 or method)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 13:12
S54	1	S11 and (perform\$3 near6 (routing with (procedure or configgurat\$3 or method)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 13:12

S55	1	S11 and (routing near2 (procedure or configgurat \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 13:13
S56	4	S11 and (routing near9 (procedure or configgurat \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 13:14
S57	4	S11 and (routing with (procedure or configgurat \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 13:18
S58	9	S11 and (routing same (procedure or configgurat \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 13:19
S59	0	S11 and ((iput or incomming) near3 (data near2 correct\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 14:50
S60	0	S11 and ((iput or incomming) same(data near2 correct\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 14:50
S61	0	S11 and ((iput or incomming) same (data near2 correct\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 14:51
S62	0	S11 and ((iput or incomming) same (data near8 correct\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 14:51
S63	34	S11 and (data near8 correct\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 15:18



S64	0	S11 and ((data near8 correct\$3) with ((routing near2 protocol) or (network near2 topology)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 15:20
S65	0	S11 and ((data near8 correct\$3) with ((routing near2 protocol) or (network near2 topology)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 15:20
S66	7	S11 and ((data near8 correct\$3) and ((routing near2 protocol) or (network near2 topology)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 15:22
S67	4	S11 and ((data near8 correct\$3) with ((routing near8 protocol) or (network near8 topology)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 15:27
S68	4	S11 and ((data near8 correct\$3) with ((rout\$3 near8 protocol) or (network near8 topology)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 15:35
S69	76	S11 and ((packet near2 size) or (rout\$3 near2 protocol))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 15:52
S70	1	S11 and ((load near2 balanc\$3) with ((packet near2 size) or (rout\$3 near2 protocol)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 16:07
S71	335	S11 and ((load near2 balanc\$3) with (data near2 rout\$3) or link or router or error)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 16:09
S72	335	S11 and ((load near2 balanc\$3) with (data near2 rout\$3) or (link or router or error))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 16:15

S73	7	S11 and ((load near2 balanc\$3) with (rout\$3 or link or router or error))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 16:19
S74	2	S11 and ((load near2 balanc\$3) with ((data near2 rate) or (network near2 protocol) or TCP or IP or UDP))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 17:13
S75	18	S11 and (network near2 management near2 system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 17:29
S76	0	S11 and ((network near2 management near2 system) with (plurality near2 node))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 17:16
S77	0	S11 and ((network near2 management near2 system) same (plurality near2 node))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 17:16
S78	2	S11 and ((network near2 management near2 system) and (plurality near2 node))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 17:16
S79	38	S11 and (computer near2 program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 17:31
S80	571	(calculat\$3 near2 traffic near2 flow) same (calculat\$3 near2 (flow or load)) same (data near2 measur\$5) and 370/229.ccls. or 370/253.ccls. or 370/395.41.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 08:46

S81	427	S80 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 08:49
S82	0	S81 and (traffic near2 flow near2 model)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 08:50
S83	1	S81 and (traffic near8 flow near8 model)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 08:52
S84	1	S81 and (traffic near12 flow near12 model)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 08:53
S85	1	S81 and (traffic with (flow near12 model))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 08:53
S86	3	S81 and ((traffic or data or load) with (flow near12 model))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 09:19
S87	5	S81 and ((traffic or data or load) and (flow near12 model))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 10:34
S88	45	S81 and (network near2 topology)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 10:37
S89	0	S81 and ((input near2 data) near3 consistency) with ((data or informat\$3) with (network near2 topology))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 10:41

S90	0	S81 and ((input near2 data) near3 consistency) same ((data or informat\$3) same (network near2 topology))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 10:41
S91	0	S81 and ((input near2 data) near3 consistency or proport\$5) same ((data or informat\$3) same (network near2 topology))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 10:42
S92	4	S81 and ((input near2 data) near3 consistency or proport\$5) and ((data or informat\$3) same (network near2 topology))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 11:04
S93	6	S81 and ((input near2 data) near3 consistency or proport\$5 or vary\$3) and ((data or informat\$3) with (network near2 topology))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 11:13
S94	6534	S81 and (verify\$3 near2 (input near2 data)) or ((data or informat\$3) with (network near2 topology))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 11:17
S95	14	S81 and ((verify\$3 near2 (input near2 data)) or ((data or informat\$3) with (network near2 topology)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 11:17
S96	40067	modif\$5 near9 (network topology or traffic engineer \$5 or rout\$5 algorithm) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/07 12:31
S97	169	modif\$5 near9 (network topology or traffic engineer \$5 or rout\$5 algorithm) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/07 12:31
S98	113	modif\$5 near9 (network topology or traffic engineer \$5 or rout\$5 algorithm parameter) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/07 12:31

S99	140	modif\$5 near9 (network topology or traffic engineer \$5 or rout\$5 algorithm parameter or traffic load) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/07 12:32
S100	0	modif\$5 near9 (network topology or traffic engineer \$5 or rout\$5 algorithm parameter) and calculat\$5 near9 traffic value and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/07 12:33
S101	28	modif\$5 near9 (network topology or traffic engineer \$5 or rout\$5 algorithm parameter) and communication network and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/07 12:34
S102	7	(upper and lower) near3 bound same interdepend \$5 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 11:22
S103	68	(upper and lower) near3 bound and interdepend\$5 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 11:22
S104	5	(upper and lower) near3 bound and interdepend\$5 and plural\$5 near3 constrai \$5 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 11:23
S105	6	(upper and lower) near3 bound and interdepend\$5 and plural\$5 near6 constrai \$5 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 11:23
S106	9	(upper and lower) near3 bound and interdepend\$5 and plural\$5 near9 constrai \$5 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 11:24
S107	0	(upper and lower) near3 bound and interdepend\$5 and plural\$5 near9 constrai \$5 and traffic flow and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 11:24

S108	9	(upper and lower) near9 bound and interdepend\$5 and plural\$5 near9 constrai \$5 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 11:29
S109	3	(upper and lower) near9 bound and inter near3 depend\$5 and plural\$5 near9 constrai\$5 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 11:30
S110	37	traffic flow near3 model and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 11:33
S111	1	(upper and lower) near3 bound and interdepend\$5 and traffic flow and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 11:35
S112	1	(upper and lower) bound and interdepend\$5 and traffic flow and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 11:40
S113	1	(upper and lower) near6 bound and interdepend\$5 and traffic flow and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 11:40
S114	0	(upper and lower) near6 bound and interdepend\$5 and constrain\$5 @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 11:41
S115	0	(upper and lower) near6 bound and interdepend\$5 and (constrain\$5 or limit) @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 11:42
S116	1	(upper and lower) bound and traffic flow near3 model and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 11:44

S117	130	(upper and lower) bound and traffic flow and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 11:50
S118	137	(upper and lower) near3 bound and traffic flow and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 11:50
S119	1	(upper and lower) near3 bound and interdepend\$5 and traffic flow and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 11:52
S120	2	initial near6 flow value and modif\$5 value and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 12:10
S121	22	calcula\$5 near6 traffic value and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 12:11
S122	220332	calcula\$5 near6 value and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 12:12
S123	15291	calcula\$5 near6 value with chang\$5 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 12:13
S124	4	calcula\$5 near6 (dynamic \$5 or chang\$5) near9 traffic value and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 12:17
S125	1	(calcula\$5 or determin\$5 or comput\$5) near6 (dynamic\$5 or chang\$5) near9 traffic value same (parameter or constrain\$5) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 12:23

S126	38804	(chang\$5 or alter\$5 or modifi\$5) near6 (parameter or matric or scenario) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 12:57
S127	3420	(chang\$5 or alter\$5 or modifi\$5) near6 (parameter or matric or scenario) same (constrain \$5 or limit\$5 or boundar \$5) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 13:01
S128	682	(chang\$5 or alter\$5 or modifi\$5) near6 (parameter or matric or scenario) same (constrain \$5 or limit\$5 or boundar \$5) same (interdepend\$5 or depend\$5 or relati\$8) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 13:04
S129	0	(chang\$5 or alter\$5 or modifi\$5) near6 (parameter or matric or scenario) same (constrain \$5 or limit\$5 or boundar \$5) same (interdepend\$5 or depend\$5 or relati\$8) and (claculat\$5 or comput \$5 or determin\$5) near6 traffic value and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 13:05
S130	2	(chang\$5 or alter\$5 or modifi\$5) near6 (parameter or matric or scenario) same (constrain \$5 or limit\$5 or boundar \$5) same (interdepend\$5 or depend\$5 or relati\$8) and (claculat\$5 or comput \$5 or determin\$5) near6 traffic flow and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 13:06
S131	2	(chang\$5 or alter\$5 or modifi\$5) near6 (parameter or matric or scenario) same (constrain \$5 or limit\$5 or boundar \$5) same (interdepend\$5 or depend\$5 or relati\$8) and (claculat\$5 or comput \$5 or determin\$5) near6 (traffic or data or packet) flow and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 13:07



S132	8	(chang\$5 or alter\$5 or modifi\$5) near6 (parameter or matric or scenario) same (constrain\$5 or limit\$5 or boundar\$5) same (interdepend\$5 or depend\$5 or relati\$8) and (claculat\$5 or comput\$5 or determin\$5) near6 (traffic or data or packet) near6 flow and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 13:07
S133	12568	(claculat\$5 or comput\$5 or determin\$5) near6 (traffic or data or packet) near6 flow and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 13:11
S134	360	(claculat\$5 or comput\$5 or determin\$5) near6 (traffic or data or packet) near6 flow same (constrain\$5 or limit or boundar\$5) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 13:14
S135	326	(claculat\$5 or comput\$5 or determin\$5) near6 (traffic or data or packet) near6 flow same (constrain\$5 or limit or boundar\$5) same (calculat\$5 or comput\$5 or determin\$5) near6 flow and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 13:16
S136	257	(claculat\$5 or comput\$5 or determin\$5) near6 (traffic or data or packet) near6 flow same (constrain\$5 or limit or boundar\$5) same (calculat\$5 or comput\$5 or determin\$5) near6 flow and (interdepen\$5 or dependen\$5 or relati\$8) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 13:18
S137	0	(claculat\$5 or comput\$5 or determin\$5) near6 (traffic or data or packet) near6 flow same (constrain\$5 or limit or boundar\$5) same (calculat\$5 or comput\$5 or determin\$5) near6 flow and traffic flow modeland (interdepen\$5 or dependen\$5 or relati\$8) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 13:19

S138	0	(claculat\$5 or comput\$5 or determin\$5) near6 (traffic or data or packet) near6 flow same (constrain\$5 or limit or boundar\$5) same (calculat\$5 or comput\$5 or determin\$5) near6 flow and traffic flow model and (interdepen\$5 or dependen\$5 or relati\$8) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 13:19
S139	4	(claculat\$5 or comput\$5 or determin\$5) near6 (traffic or data or packet) near6 flow same (constrain\$5 or limit or boundar\$5) same (calculat\$5 or comput\$5 or determin\$5) near6 flow and flow model and (interdepen\$5 or dependen\$5 or relati\$8) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 13:19
S140	4	(claculat\$5 or comput\$5 or determin\$5) near6 (traffic or data or packet) near6 flow same (constrain\$5 or limit or boundar\$5) and (calculat\$5 or comput\$5 or determin\$5) near6 flow and flow model and (interdepen\$5 or dependen\$5 or relati\$8) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 13:26
S141	105	(claculat\$5 or comput\$5 or determin\$5) near6 (traffic or data or packet) near6 flow and (constrain\$5 or limit or boundar\$5) and (calculat\$5 or comput\$5 or determin\$5) near6 flow and flow model and (interdepen\$5 or dependen\$5 or relati\$8) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 13:26
S142	14	(claculat\$5 or comput\$5 or determin\$5) near6 (traffic or data or packet) near6 flow and (constrain\$5 or limit or boundar\$5) same (calculat\$5 or comput\$5 or determin\$5) near6 flow and flow model and (interdepen\$5 or dependen\$5 or relati\$8) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/12 13:27

S143	2	"5,448,621".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/14 11:24
S144	2084	linear program\$5 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/14 13:02
S145	31	linear program\$5 with linear object\$5 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/14 13:03
S146	31	linear program\$5 with linear object\$5 and data and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/14 13:05
S147	1	linear program\$5 with linear object\$5 and data traffic and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/14 13:05
S148	112	((claculat\$5 or comput\$5 or determin\$5) near6 ((traffic or data or packet) near6 (flow near4 model))) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/17 18:48
S149	9	((claculat\$5 or comput\$5 or determin\$5) near6 ((traffic or data or packet) near6 (flow near4 model))) and ((modif\$5 or different) near4 (scenario or condit\$3 or traffic)) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/17 18:51
S150	12	((claculat\$5 or comput\$5 or determin\$5) near8 ((traffic or data or packet) near6 (flow near4 (model or configura\$5)))) and ((modif\$5 or different) near4 (scenario or condit \$3 or traffic)) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/17 19:13

S151	145	((traffic or data or packet) near6 (flow near4 (model or configura\$5))) and ((modif\$5 or different) near4 (scenario or condit \$3 or traffic)) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/17 19:18
S152	63	((traffic or data or packet) near6 (flow near4 (model or configura\$5))) and ((modif\$5 or different) near4 (scenario or condit \$3)) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/17 19:19
S153	9	(dynami\$5 or instantaneous\$5) same ((traffic or data or packet) near6 (flow near4 (model or configura\$5))) and ((modif\$5 or different) near4 (scenario or condit \$3)) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/17 19:24
S154	4	((traffic or data or packet) near6 (flow near4 (model or configura\$5))) and ((modif\$5 or different) near4 (scenario or condit \$3)) and "370"/\$.ccls. and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/17 19:27
S155	0	(modif\$5 near5 network near2 topology) ((claculat \$5 or comput\$5 or determin\$5) near6 ((traffic or data or packet) near6 (flow near4 model))) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/18 10:25
S156	0	(modif\$5 near5 network near2 topology) same ((claculat\$5 or comput\$5 or determin\$5) near6 ((traffic or data or packet) near6 (flow near4 model))) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/18 10:25
S157	0	(modif\$5 near5 network near2 topology) and ((claculat\$5 or comput\$5 or determin\$5) near6 ((traffic or data or packet) near6 (flow near4 model))) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/18 10:26

S158	102	(modif\$5 near5 network near2 topology) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/18 10:26
S159	0	(modif\$5 near5 network near2 topology) same ((traffic or data or packet) near6 (flow near4 model)) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/18 10:27
S160	1	(modif\$5 near5 network near2 topology) and ((traffic or data or packet) near6 (flow near4 model)) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/18 10:27
S161	46	(modif\$5 near5 network near2 topology) and "370"/\$.cls. and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/18 10:30
S162	0	(modif\$5 near5 network near2 topology) and ((traffic or data or packet) near6 (flow near4 (model or configura\$5))) and ((modif\$5 or different) near4 (scenario or condit \$3 or traffic)) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/18 10:42
S163	1	(modif\$5 near5 network near2 topology) and ((traffic or data or packet) near6 (flow near4 (model or configura\$5))) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/18 10:43
S164	38	(modif\$5 near5 network near2 topology) and ((traffic or data or packet) near6 flow) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/18 10:44
S165	15	(modif\$5 near5 network near2 topology) and ((traffic or data or packet) near6 flow) and "370"/\$.cls. and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/18 10:44

S166	0	(linear near3 program\$5) same (("non" near2 linear near5 object) and "370"/\$.ccls. and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/18 11:10
S167	0	(linear near3 program\$5) and (("non" near2 linear near5 object) and "370"/\$.ccls. and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/18 11:10
S168	29	(linear near3 program\$5) and ("non" near2 linear) and "370"/\$.ccls. and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/18 11:10
S169	1	(linear near3 program\$5) and (upper with (traffic near3 flow)) and "370"/\$.ccls. and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/18 11:33
S170	203	((upper and lower) near3 bound) and (linear near3 program\$5) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/12/06 12:01
S171	5	((upper and lower) near3 bound) with (linear near3 program\$5) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/12/06 12:01
S172	0	((upper and lower) near3 bound) near5 (comput\$5 or determin\$5 or calculat \$5)) same (linear near3 program\$5) and ("370"/\$.ccls. or "709"/\$.ccls.) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/12/06 12:05
S173	1	((upper and lower) near3 bound) near5 (comput\$5 or determin\$5 or calculat \$5)) and (linear near3 program\$5) and ("370"/\$.ccls. or "709"/\$.ccls.) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/12/06 12:05

S174	1	((upper and lower) near3 bound) with (comput\$5 or determin\$5 or calculat\$5) and (linear near3 program \$5) and ("370"/\$.ccls. or "709"/\$.ccls.) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/12/06 12:07
S175	1	((upper and lower) near3 bound) with (comput\$5 or determin\$5 or calculat\$5 or evaluat\$5) and (linear near3 program\$5) and ("370"/\$.ccls. or "709"/\$.ccls.) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/12/06 12:07
S176	33	((upper and lower) near3 bound) with (comput\$5 or determin\$5 or calculat\$5 or evaluat\$5) and (linear near3 program\$5) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/12/06 12:08
S177	23	((upper and lower) near3 bound) near8 (comput\$5 or determin\$5 or calculat \$5 or evaluat\$5) and (linear near3 program\$5) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/12/06 12:08
S178	9	((upper or lower) near3 bound) with (comput\$5 or determin\$5 or calculat\$5 or evaluat\$5) and (linear near3 program\$5) and ("370"/\$.ccls. or "709"/\$.ccls.) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/12/06 12:12
S179	2	"7068630".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/06/23 16:29
S180	44	((stor\$5 or buffer\$5 or memory) near3 ((flow near2 model) or data or (traffic near2 neasur\$5))) same (claculat\$5 or comput \$5 or determin\$5) near6 (traffic or data or packet) near6 flow same (constrain \$5 or limit or boundar\$5) same (calculat\$5 or comput \$5 or determin\$5) near6 flow and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/06/29 15:26

S181	44	((stor\$5 or buffer\$5 or memory) near3 ((traffic near3 (flow near2 model)) or data or (traffic near2 neasur\$5))) same (claculat\$5 or comput\$5 or determin\$5) near6 (traffic or data or packet) near6 flow same (constrain\$5 or limit or boundar\$5) same (calculat\$5 or comput\$5 or determin\$5) near6 flow and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/06/29 15:27
S182	9	((stor\$5 or buffer\$5 or memory) near3 ((traffic near3 (flow near2 model)) or data or (traffic near2 neasur\$5))) same (claculat\$5 or comput\$5 or determin\$5) near6 (traffic or data or packet) near6 flow same (constrain\$5 or limit or boundar\$5) same ((calculat\$5 or comput\$5 or determin\$5) near6 flow) and "370"/\$.cls. and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/06/29 15:28
S183	0	((stor\$5 or buffer\$5 or memory) near3 ((traffic near3 (flow near2 model)) same (traffic near2 neasur\$5))) and (claculat\$5 or comput\$5 or determin\$5) near6 (traffic or data or packet) near6 flow and (constrain\$5 or limit or boundar\$5) and ((calculat\$5 or comput\$5 or determin\$5) near6 flow) and "370"/\$.cls. and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/06/29 15:42
S184	0	((stor\$5 or buffer\$5 or memory) near3 ((traffic near3 (flow near2 model)) and (traffic near2 neasur\$5))) and (claculat\$5 or comput\$5 or determin\$5) near6 (traffic or data or packet) near6 flow and (constrain\$5 or limit or boundar\$5) and ((calculat\$5 or comput\$5 or determin\$5) near6 flow) and "370"/\$.cls. and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/06/29 15:43



S185	0	((stor\$5 or buffer\$5 or memory) near3 (traffic near3 (flow near2 model))) and (claculat\$5 or comput\$5 or determin \$5) near6 (traffic or data or packet) near6 flow and (constrain\$5 or limit or boundar\$5) and ((calculat \$5 or comput\$5 or determin\$5) near6 flow) and "370"/\$.ccls. and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/06/29 15:43
S186	0	((stor\$5 or buffer\$5 or memory) near3 (traffic near3 (flow near2 model))) and ((calculat\$5 or comput\$5 or determin \$5) near6 flow) and "370"/\$.ccls. and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/06/29 15:44
S187	0	((stor\$5 or buffer\$5 or memory) near3 (traffic near3 (flow near2 model))) and "370"/\$.ccls. and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/06/29 15:44
S188	0	((stor\$5 or buffer\$5 or memory) near6 (traffic near3 (flow near2 model))) and "370"/\$.ccls. and @ad<"20020301"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/06/29 15:44

6/ 30/ 2010 10:10:11 AM

C:\ Documents and Settings\ sbokhari\ My Documents\ EAST\ Workspaces\ 10505444.wsp